

RE: Thorndike Place GW and Peer Review

Dominic R. Rinaldi <drinaldi@bscgroup.com>

Mon 5/13/2024 4:47 PM

To: David Morgan <dmorgan@town.arlington.ma.us>

Cc: ConComm <ConComm@town.arlington.ma.us>; Stephanie Kiefer <SKiefer@smolakvaughan.com>

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Hi David,

Thanks for meeting me on site last week. Here are the results for each well.

TP-1: GW 11.32' down = elevation 2.74

TP-6: GW 5.38' down = elevation 2.79

TP-7: GW 10.26' down = elevation 3.26

TP-9: GW 10.57' down = elevation 3.30

I'd like to go back out Wednesday or Thursday morning this week. Wednesday looks like better weather. I can do 8:30 either morning though. Let me know what works for you.

Also, any word regarding the additional peer review work? Could you share the scope and any responses?
Thanks.

Dom

Dominic Rinaldi, PE (he, him)

Senior Managing Civil Engineer / Senior Associate

O: 617-896-4300 / D: 617-896-4386

drinaldi@bscgroup.com

www.bscgroup.com

From: Dominic R. Rinaldi

Sent: Wednesday, May 8, 2024 2:45 PM

To: David Morgan <dmorgan@town.arlington.ma.us>

Cc: ConComm <ConComm@town.arlington.ma.us>; Stephanie Kiefer <SKiefer@smolakvaughan.com>

Subject: RE: Thorndike Place GW and Peer Review

Sure. Let's go with 8:30. I'll see you then.

Dom

Dominic Rinaldi, PE (he, him)

Senior Managing Civil Engineer / Senior Associate

O: 617-896-4300 / D: 617-896-4386

drinaldi@bscgroup.com

www.bscgroup.com

From: David Morgan <dmorgan@town.arlington.ma.us>

Sent: Wednesday, May 8, 2024 2:43 PM

To: Dominic R. Rinaldi <drinaldi@bscgroup.com>

Cc: ConComm <ConComm@town.arlington.ma.us>; Stephanie Kiefer <SKiefer@smolakvaughan.com>

Subject: Re: Thorndike Place GW and Peer Review

Hi Dom,

Thanks for following up. Any chance you could meet closer to 8:30? I'm booked the rest of the morning.

Cheers,

David

David Morgan | Environmental Planner + Conservation Agent | Department of Planning and Community Development | 781.316.3012

Arlington values equity, diversity, and inclusion. We are committed to building a community where everyone is heard, respected, and protected.

From: Dominic R. Rinaldi <drinaldi@bscgroup.com>

Sent: Wednesday, May 8, 2024 2:18 PM

To: David Morgan <dmorgan@town.arlington.ma.us>

Cc: ConComm <ConComm@town.arlington.ma.us>; Stephanie Kiefer <SKiefer@smolakvaughan.com>

Subject: RE: Thorndike Place GW and Peer Review

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Hi David,

Just following up. Particularly for getting gw measurements tomorrow morning. Let me know. Thanks.

Dom

Dominic Rinaldi, PE (he, him)

Senior Managing Civil Engineer / Senior Associate

O: 617-896-4300 / D: 617-896-4386

drinaldi@bscgroup.com

www.bscgroup.com

From: Dominic R. Rinaldi

Sent: Tuesday, May 7, 2024 12:11 PM

To: David Morgan <dmorgan@town.arlington.ma.us>

Cc: ConComm <ConComm@town.arlington.ma.us>; Stephanie Kiefer <SKiefer@smolakvaughan.com>

Subject: Thorndike Place GW and Peer Review

Hi David,

Checking on 2 items for Thorndike Place. First, can you meet on the site Thursday when I plan to check the gw well levels next? I was thinking sometime mid to late morning (9-11)? Generally speaking, it should take less than 30 minutes to do. Let me know what time might work best for you.

Second, I'm seeing if you've been able to put out the scopes to Hatch and Kleinfelder for the additional stormwater peer review? If so, could you please pass along the scope and let us know if you'd had any response from either (even just a "we'll get you a fee")? Thanks.

Dom

Dominic Rinaldi, PE (he, him)

Senior Managing Civil Engineer / Senior Associate

803 Summer Street, Third Floor / Boston, MA 02127

O: 617-896-4300 / D: 617-896-4386

drinaldi@bscgroup.com

www.bscgroup.com

BSC GROUP 